




1660 RH Filler


Walk around | 2025

SPUDNIK

Explanation of the walk around


This document “Walk around 1660 RH Filler” was developed to help you to introduce this conveyor at trade fairs, field demonstrations, or in sales discussions, and to showcase distinguishing features!

- 1 Concept
- 2 Elevator
- 3 Chassis | Jacks
- 4 Drive System | Controls
- 5 Pups
- 6 Transport



Position 1

Concept



Your benefits:

Mobile collector table for Receiving Hoppers


Capacity of up to 150 t/hr

1 Trucks can back directly up to the machine or up to 2x 2400 Pups.

Machine is easy to handle and can be combined with GRIMME RH or RH Combi.


Simple construction leads to a durable and reliable machine

Recommended position:



Position 2

Elevator



Your benefits:

60-inch-wide elevator (150 cm)

Cleated belt to reduce rollback


2

Electric Variable speed adjustment

Drum motor for increased efficiency and sprocket free drive


Maintenance free drive

Recommended position:



Position 3


Chassis | Jacks



Your benefits:


- Equipped with wheels and drawbar to be easily transported
- Drawbar can be removed in the yard
- Mechanical jacks at the intake for easy height adjustment

Recommended position:



Position 4

Drive System | Controls



Your benefits:

480 V and 400 V available

VFD for variable belt drive


4

Ultrasonic sensor on the tip of the elevator for gentle piling

Infinitely adjustable drop height


Optional LED lights

Recommended position:



Position 5

Pups



Your benefits:

5


Mounting points for up to 2x 2400 Pups

Option for single phase truck power

Pub hangers include transport mounts for pups

Pups can be independently configured to suite each grower


Recommended position:



Position 6

Transport

Width for container transport-87"



Your benefits:


6

Machine can be broken down for container transport


Fits 40' HC Container

Up to 2 machines per container

Recommended
position:




View 992 AirSep Eliminator From left



View 992 AirSep Eliminator

From right




View 992 AirSep Eliminator From front



View 992 AirSep Eliminator

From rear



View 992 AirSep Eliminator

From top

