



KS 3600 PRO

The KS 3600 PRO is a high-performance potato haulm topper manufactured in China and developed for professional potato growers. Combining powerful defoliation performance, robust construction and optimized crop flow management, it ensures clean vine destruction and ideal field conditions for efficient harvesting. Designed for demanding operations, the KS 3600 PRO delivers maximum reliability, durability and productivity in every pass.

KS 3600 PRO

The KS 3600 PRO features a completely redesigned appearance with a modern and robust machine layout. Blades are arranged symmetrically in a double-helix pattern on the rotor shaft and consist of long straight blades, long curved blades and short straight blades. The different blade lengths and positions are matched to potato ridge profiles of different row spacings, enabling ridge-following defoliation.


The specially shaped blades generate an airflow effect that lifts and shreds haulm from both the ridge top and furrow.

A reinforced three-point linkage provides high load-bearing capacity and improved adaptability.



Double-helix blade arrangement

Long straight blades, long curved blades and short straight blades are arranged symmetrically in a double-helix pattern on the rotor shaft. The blade layout is matched to different potato ridge profiles and row spacings for ridge-following defoliation.



Airflow-assisted haulm destruction

Specially shaped blades generate an airflow effect during operation, drawing haulm from both the ridge top and furrow into the blade area for effective shredding.



Ridge-guided flow divider

The flow divider follows the top of the potato ridge and directs cut weeds and haulm into the furrows on both sides of the ridge, helping to keep the ridge area clear for subsequent harvesting operations.



Integrated PTO anti-reverse device

Integrated into the PTO drives on both sides, the anti-reverse device prevents reverse blade rotation and helps protect the gearbox, rear output shaft and associated driveline components.



Reinforced three-point linkage

A reinforced three-point linkage provides high load-bearing capacity and improved machine compatibility.





Optimised power transmission

A high-ratio, high-load gearbox combined with an optimised installation layout provides stable power transmission across the driveline.




Optimised belt drive system

The belt drive system features a carefully matched pulley ratio for smooth power transmission and stable operation.

Striking new design

The machine features a completely redesigned appearance with a modern, robust and eye-catching style that reflects the power and professionalism of the KS 3600 PRO.





Row width

90 cm



PTO shaft speed

540 rpm PTO shaft drive



Mechanical height adjustable

Haulm topper support wheels with manual adjustment.



Support wheels

2 support wheels fixed or swivel



Easy cleaning

2 large cleaning flaps allow easy cleaning of the inside.




GRIMME regardless of brand used and more

Sell your used machinery

- > Get your non-binding offer
- > Payment before pickup on site possible
- > Simple sales process
- > Pick up of your machine free of charge



Receive a non-binding offer for your used potato-, beet- and vegetable technology from GRIMME or other well-known manufacturers.



Digital. Simple. Connected - myGRIMME



myGRIMME is your gateway to the digital world of GRIMME. With your account, you always have your virtual machine file with all digital services and information with you in real time. In addition, your machine tasks are automatically documented and analysed clearly. Furthermore, with the webshop you have the possibility to order spare parts online. myGRIMME can be used on any internet-enabled device and is free of charge for you.



my.grimme.com

No claims can be raised in respect of texts, illustrations, technical specifications, dimensions and weights, equipment as well as performance specifications. They are approximate and non-binding. Changes in the course of technical enhancement are possible at any time.



GRIMME Agricultural Technology (Tianjin) Co., Ltd

No.13 Yuanhe Road, Wuqing Development Area 301700, Tianjin, China

Phone +86 022 5961 0777 · saleschina@grimme.cn · www.grimme.com